



IPW CofC

Docket No.: R2184.0111/P111-A  
(PATENT)

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Letters Patent of:  
Toshihiro Takesue

Application No.: 10/663,885

Patent No.: 6,839,074 B2

Filed: September 17, 2003

Issued: January 4, 2005

For: IMAGE FORMING APPARATUS WITH  
PHOTOCONDUCTIVE BODY, AND  
COMPUTER-READABLE STORAGE  
MEDIUM

**REQUEST FOR CERTIFICATE OF CORRECTION  
PURSUANT TO 37 C.F.R. § 1.322**

U.S. Patent and Trademark Office  
Customer Window  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

ATTN: Certificate of Correction Branch

Dear Sir:

It is respectfully requested that the attached Certificate of Correction be entered in the above-captioned patent.

The patent contains a printing error that occurred on the part of the Patent and Trademark Office, namely: At the title page, under "(30) Foreign Application Priority Data," the date "Nov. 6, 2002" should be --Nov. 6, 2000--.

Since the error is the fault of the Office, it is believed that no fee is required. However, to ensure the proper filing of this communication, the Director is authorized to charge any required fee to Deposit Account No. 04-1073, under Order No. R2184.0111/P111-A.

Dated: April 20, 2005

Respectfully submitted,

By   
Mark J. Thronson  
Registration No. 33,082  
DICKSTEIN SHAPIRO MORIN &  
OSHINSKY LLP  
2101 L Street NW  
Washington, DC 20037-1526  
(202) 785-9700

Attorneys for Patentees

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,839,074 B2  
DATED : January 4, 2005  
INVENTOR(S) : Toshihiro Takesue

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**At the title page, under "(30) Foreign Application Priority Data,"**

**"Nov. 6, 2002" should be --Nov. 6, 2000--.**

MAILING ADDRESS OF SENDER:  
Mark J. Thronson  
DICKSTEIN SHAPIRO MORIN & OSHINSKY LLP  
2101 L Street NW  
Washington, DC 20037-1526

PATENT NO. 6,839,074 B2

No. of additional copies 0